



GIANT POLY SHRINK BAGS AND FILM

Stronger than stretch wrap or banding and better protection against moisture, dust, and tampering. Five-sided coverage secures and protects everything from uneven palletized shipments to large machinery. Simply place over load and heat shrink. Additional bags (p. 32), film (p. 33), and tubing (p. 32) for smaller applications also available.

GIANT POLY SHRINK BAGS

Item Number	Size W x D x L	Mil	Price per Bag				Bags per Roll	Approx. Lbs. per Roll	Ship Rate
			1 roll	3 rolls	5 rolls	10 rolls			
21-08	50" x 48" x 84"	3	\$3.95	\$3.45	\$3.15	\$3.05	50	82.5 lbs.	DW
21-01	36" x 36" x 50"	4	2.55	2.20	2.15	2.05	65	61.0 lbs.	SG
21-02	36" x 36" x 70"	4	3.50	2.90	2.85	2.70	50	69.5 lbs.	SG
21-03	44" x 44" x 70"	4	3.95	3.45	3.15	3.05	50	78.5 lbs.	SG
21-04	44" x 44" x 88"	4	4.80	4.25	4.15	3.80	50	103.0 lbs.	Truck
21-16	50" x 42" x 66"	4	3.80	3.30	3.00	2.90	30	50.0 lbs.	SG
21-17	50" x 42" x 78"	4	4.55	4.20	3.85	3.50	30	59.0 lbs.	SG
21-18	50" x 48" x 84"	4	5.20	4.55	4.30	3.95	30	67.0 lbs.	SG
21-05	52" x 43" x 48"	4	2.95	2.55	2.40	2.35	70	83.0 lbs.	DW
21-06	52" x 43" x 70"	4	4.20	3.70	3.50	3.40	45	76.0 lbs.	SG
21-07	52" x 43" x 94"	4	5.35	4.60	4.50	4.30	35	77.0 lbs.	SG
21-09	50" x 44" x 57"	6	4.95	4.50	4.20	3.85	57	122.5 lbs.	Truck
21-10	50" x 44" x 74"	6	5.90	4.95	4.70	4.55	43	121.5 lbs.	Truck
21-11	50" x 44" x 98"	6	7.55	6.40	6.25	5.90	37	135.0 lbs.	Truck
21-19	50" x 48" x 84"	6	7.40	6.30	6.05	5.80	20	67.0 lbs.	SG

SG = Standard Ground DW = Dimensional Weight Truck = Truck Only

GIANT POLY SHRINK FILM - 5 MIL

Item Number	Size W x L	Price per Roll				Approx. Lbs. per Roll	Ship Rate
		1	3	5	10		
21-7-02	12' x 250'	\$179.00	\$171.90	\$164.95	\$158.30	70.5 lbs.	SG
21-7-04	16' x 200'	191.05	183.40	176.25	169.15	75.0 lbs.	SG
21-7-06	20' x 190'	226.30	217.15	208.40	CALL!	89.0 lbs.	DW

SG = Standard Ground DW = Dimensional Weight

PORTABLE SHRINKFAST GUN

Handheld, propane-powered heat gun tightly shrinks giant poly bags or film around a wrapped pallet in less than two minutes. Completely portable, weighs less than 4 lbs., and requires minimal training and set-up time. Includes hose and regulator valve which easily attach to a propane tank (not included). No electrical connection required. Safety trigger prevents accidental discharge, and safety check valve limits gas leakage if damaged. Unit automatically shuts off when set down or dropped. Call for details about 15-day free trial.



PORTABLE SHRINKFAST GUN

Item Number	Price	Approx. Lbs. Each
10-10	\$867.90	18.0 lbs.

SHIPPING RATES

SG - Standard ground shipping is needed for packages with a cubic size of less than 5,184 cubic inches (See below for cubic size calculation).

DW - Dimensional weight shipping is needed for packages with a cubic size of 5,184 cubic inches or greater. Calculate cubic size by measuring package length, width, and height in inches, rounding each to the nearest whole inch. Then multiply package length by width by height to determine cubic size.

Truck - Truck only shipping is needed for packages of less than 150 lbs. with a combined length and girth over 165".



MARINE/INDUSTRIAL UVI SHRINK FILM

Opaque film with UVI additive protects pallet loads from the sun for up to nine months. Waterproof film resists punctures and tears. Protects boats and industrial equipment. Use with our portable shrinkfast heat gun (below left).

BLACK MARINE/INDUSTRIAL UVI SHRINK FILM - 7 MIL

Item Number	Size W x L	Price per Roll				Approx. Lbs. per Roll	Ship Rate
		1	3	5	10		
21-8-01B	16' x 140'	\$205.70	\$192.05	\$178.35	\$164.75	77.0 lbs.	SG

SG = Standard Ground

BLUE MARINE/INDUSTRIAL UVI SHRINK FILM - 7 MIL

Item Number	Size W x L	Price per Roll				Approx. Lbs. per Roll	Ship Rate
		1	3	5	10		
21-8-01L	16' x 140'	\$205.70	\$192.05	\$178.35	\$164.75	77.0 lbs.	SG
21-8-02L	24' x 95'	205.70	192.05	178.35	164.75	77.0 lbs.	DW
21-8-03L	32' x 70'	205.70	192.05	178.35	164.75	77.0 lbs.	DW

SG = Standard Ground DW = Dimensional Weight



POLYESTER CORD STRAP

Lighter and easier to use than steel strapping. Superior strength, flexibility, and shock resistance. Withstands effects of outdoor elements. Hand tie or use with seals or buckles for heavy-duty applications.

POLYESTER CORD STRAP - WHITE

Item Number	Size W x L	Tensile Strength	Price per Roll			Approx. Lbs. per Roll
			1	3	5	
140-4-06W	1/2" x 3,900'	700 lb.	\$109.15	\$102.30	\$96.35	15.0 lbs.



TYING TWINE

Soft, smooth polypropylene knots tight. For typical applications, use a tensile strength at least twice the weight of the item. Heavy-duty applications require a tensile strength 3-4 times the item's weight. Call for details on other tensile strengths.

TYING TWINE

Item Number	Length	Tensile Strength	Price per Roll				Approx. Lbs. per Roll
			1	3	5	10	
140-9-115	12,500'	105 lb.	\$38.70	\$37.60	\$37.15	\$35.70	10.0 lbs.
140-9-145	8,500'	145 lb.	38.70	37.60	37.15	35.70	10.0 lbs.
140-9-210	6,500'	210 lb.	38.70	37.60	37.15	35.70	9.0 lbs.
140-9-400	3,500'	400 lb.	38.70	37.60	37.15	35.70	10.0 lbs.



Sealer

Tensioner
with Cutter

POLYESTER DELUXE STRAPPING SYSTEM

Strong, flexible strapping replaces steel strapping for medium- to heavy-duty loads and rigid palletizing. Deluxe system includes portable heavy-duty cart, 5,800' coil of 1/2" strapping, 500 seals, sealing tool, and heavy-duty tensioner with cutter. Paperboard and plastic edge protectors are available for extra pallet support (p. 130).

POLYESTER DELUXE STRAPPING SYSTEM

Item Number	Strapping Size W x L	Tensile Strength	Price Each		Approx. Lbs. Each	Ship Rate
			1	2		
140-4-02	1/2" x 5,800'	775 lb.	\$947.20	\$899.75	111.0 lbs.	Truck

Truck = Truck Only

ASK MR. BAG

Q. How do I choose the best strapping for my particular products?

A. Each type of strapping has certain advantages over the other, depending on the application:

Polypropylene Strapping is economical, lightweight, and quick to apply. The embossed surface strengthens the strap dimensionally and allows for the use of inexpensive non-scored seals. The industry standard for bundling corrugated boxes, printed materials, and boxed food, polypropylene strapping is also ideal for many other light to medium duty, bundling, unitizing, and palletizing applications.

Polyester Strapping offers the greatest strength, rigidity, and retained tension of all plastic strapping. Smooth, weatherproof polyester won't rust or stain products, is 80% lighter than steel strapping, and uses sturdy, scored seals. Great for heavier-duty applications like bundling lumber or building materials, and rigid palletizing.

Steel Strapping is the strongest of all strapping materials. Recommended when high strength and shock resistance are essential. Commonly used to bundle and palletize structural steel, building stone, and rail car shipments. Steel's strength and durability are ideal for dealing with heavy, sharp, or hot materials.



POLYESTER STRAPPING AND SEALS

Flexible polyester strapping resists nicks and is stronger than polypropylene strapping. Seal with heat, seals, or friction welds. Single-feed serrated seals are designed to grip strapping material tightly and form a secure seal when used with tensioner and sealer. Serrated seals provide high joint efficiency.

POLYESTER STRAPPING – 16" x 3" CORE SIZE*

Item Number	Size W x L	Tensile Strength	Grade/ Thickness	Color	Price per Coil			Qty. Per Ctn.	Approx. Lbs. per Ctn.
					2	4	6		
140-4-01	1/2" x 2,900'	775 lb.	Hand/.025"	Black	\$76.35	\$70.40	\$60.75	2	45.5 lbs.
140-4-200	1/2" x 3,600'	600 lb.	Hand/.020"	Green	79.65	74.55	61.90	2	44.0 lbs.
140-4-201	5/8" x 2,850'	750 lb.	Hand/.020"	Black	74.55	69.45	56.95	2	48.0 lbs.
140-4-202	5/8" x 2,200'	900 lb.	Hand/.025"	Black	77.05	72.05	59.45	2	46.0 lbs.

*Inside diameter x face width of core

POLYESTER STRAPPING – 16" x 6" CORE SIZE*

Item Number	Size W x L	Tensile Strength	Grade/ Thickness	Color	Price per Coil			Approx. Lbs. per Coil
					1	4	6	
140-4-220	1/2" x 7,200'	600 lb.	Machine/.025"	Black	\$146.40	\$126.25	\$113.65	48.0 lbs.
140-4-221	5/8" x 3,600'	1,100 lb.	Machine/.030"	Black	145.20	125.05	112.45	43.0 lbs.
140-4-222	5/8" x 3,600'	1,100 lb.	Machine/.030"	Green	149.60	128.70	115.70	40.0 lbs.
140-4-223	5/8" x 4,200'	1,400 lb.	Machine/.035"	Black	171.70	152.70	138.85	57.0 lbs.

*Inside diameter x face width of core

POLYESTER STRAPPING SEALS

Item Number	Size	Description	Price per Carton			Seals per Ctn.	Approx. Lbs. per Ctn.
			1	3	5		
140-4-04	1/2"	Serrated	\$ 89.25	\$86.40	\$83.70	1,000	13.0 lbs.
140-4-07	5/8"	Serrated	107.35	99.80	94.70	1,000	19.0 lbs.



140-4-03
140-4-08

140-4-05

POLYESTER STRAPPING TOOLS

Heavy-duty manual sealer has a 17" handle that optimizes leverage to crimp seals tight and create high joint strengths. Manual tensioner tightens up to 3/4" polyester strapping and cuts off excess strapping.

POLYESTER STRAPPING TOOLS

Item Number	Description	Price Each			Approx. Lbs. Each
		1	2	4	
140-4-03	1/2" Manual Sealer	\$113.65	\$107.35	\$101.05	5.0 lbs.
140-4-08	5/8" Manual Sealer	113.65	107.35	101.05	4.0 lbs.
140-4-05	3/4" Tensioner w/Cutter	87.50	84.50	80.15	3.0 lbs.

SHIPPING RATES

SG – Standard ground shipping is needed for packages with a cubic size of less than 5,184 cubic inches (See below for cubic size calculation).

DW – Dimensional weight shipping is needed for packages with a cubic size of 5,184 cubic inches or greater. Calculate cubic size by measuring package length, width, and height in inches, rounding each to the nearest whole inch. Then multiply package length by width by height to determine cubic size.

Truck – Truck only shipping is needed for packages of less than 150 lbs. with a combined length and girth over 165'.



STEEL STRAPPING AND SEALS

Wound coils of steel strapping have uniform width, gauge, and finish for excellent split resistance and high breaking strength. High grade, low profile metal seals pinch tight to form permanent seal. Works with pneumatic or manual strapping tools.

STEEL STRAPPING

Item Number	Size W x L	Tensile Strength	Grade/ Thickness	Core Size ID/Face*	Price per Coil		Approx. Lbs. per Coil	Ship Rate
					1	2		
140-5-03	3/8" x 5,240'	700 lb.	Hand/.015"	16"/3"	\$154.10	\$149.75	100.0 lbs.	Truck
140-5-04	3/8" x 3,930'	900 lb.	Hand/.020"	16"/3"	144.65	139.15	100.0 lbs.	Truck
140-5-05	1/2" x 3,930'	950 lb.	Hand/.015"	16"/3"	151.85	147.50	100.0 lbs.	Truck
140-5-06	1/2" x 2,940'	1,220 lb.	Hand/.020"	16"/3"	122.75	118.40	100.0 lbs.	Truck
140-5-01	1/2" x 2,560'	1,375 lb.	Hand/.023"	16"/3"	126.55	122.10	100.0 lbs.	Truck
140-5-07	5/8" x 3,140'	1,180 lb.	Hand/.015"	16"/3"	151.50	145.70	100.0 lbs.	Truck
140-5-08	5/8" x 2,360'	1,500 lb.	Hand/.020"	16"/3"	141.15	135.50	100.0 lbs.	Truck
140-5-09	5/8" x 2,050'	1,720 lb.	Hand/.023"	16"/3"	143.45	137.70	100.0 lbs.	Truck
140-5-10	3/4" x 2,620'	1,420 lb.	Hand/.015"	16"/3"	151.50	145.70	100.0 lbs.	Truck
140-5-11	3/4" x 1,960'	1,810 lb.	Hand/.020"	16"/3"	141.15	135.50	100.0 lbs.	Truck
140-5-02	3/4" x 1,710'	2,050 lb.	Hand/.023"	16"/3"	123.50	117.10	100.0 lbs.	Truck
140-5-12**	1 1/4" x 880'	5,450 lb.	Hand/.031"	16"/1 1/4"	169.10	160.65	116.0 lbs.	Truck

*Inside diameter/face width **Ribbon wound Truck = Truck Only

STEEL STRAPPING SEALS

Item Number	Size	Price per Carton			Seals per Ctn.	Approx. Lbs. per Ctn.
		1	2	5		
140-3-203	3/8"	\$48.25	\$46.35	\$42.35	2,500	11.0 lbs.
140-3-201	1/2"	50.75	48.80	44.55	2,500	15.0 lbs.
140-3-204	5/8"	55.00	52.80	49.60	2,500	20.0 lbs.
140-3-202	3/4"	59.10	56.80	54.45	2,500	22.5 lbs.
140-3-205	1 1/4"	98.05	93.20	88.55	1,000	67.0 lbs.



STEEL STRAPPING CART AND TOOLS

Portable tubular steel cart is specially designed for use with oscillating wound steel coils with 16" cores in 3" or 6" face sizes. Automatic brake system prevents unwinding. Large work tray holds seals and tools. Lightweight crimper/sealer with long handles creates leverage to easily crimp seals tight. Manual tensioner tightens 1/2" and 3/4" strapping. Spring-loaded cutter enables steel snipping with one hand.

STEEL STRAPPING CART AND TOOLS

Item Number	Description	Price Each		Approx. Lbs. Each	Ship Rate
		1	2		
140-3-301	Dispenser Cart	\$326.15	\$319.60	58.0 lbs.	DW
140-3-322	3/8" Manual Sealer	90.50	85.75	3.0 lbs.	SG
140-3-320	1/2" Manual Sealer	90.50	85.75	3.0 lbs.	SG
140-3-323	5/8" Manual Sealer	90.50	85.75	3.0 lbs.	SG
140-3-321	3/4" Manual Sealer	90.50	85.75	3.0 lbs.	SG
140-3-330	Manual Tensioner	146.35	138.70	6.0 lbs.	SG
140-3-340	Manual Cutter	48.25	45.85	2.0 lbs.	SG

SG = Standard Ground DW = Dimensional Weight

SEE PAGE 130 FOR EDGE PROTECTORS



STEEL STRAPPING KIT

Self-contained portability. Roomy compartments hold the heavy-duty tools and materials needed to strap palletized loads including a tensioner, sealer, 500 open seals, strap cutter, and 200' of American-made steel strapping. Kit measures 9 1/2"W x 12"D x 12"H. Paperboard and plastic edge protectors are available for extra pallet support (p. 130).

STEEL STRAPPING KIT

Item Number	Strapping Size W x L	Tensile Strength	Price Each		Approx. Lbs. Each
			1	4	
140-2-10	1/2" x 200'	1,170 lb.	\$547.90	CALL!	36.5 lbs.
140-2-20	3/4" x 200'	1,760 lb.	584.90	CALL!	44.0 lbs.

REPLACEMENT STRAPPING FOR STEEL STRAPPING KIT

Item Number	Size W x L	Tensile Strength	Grade/ Thickness	Price Each		Approx. Lbs. Each
				1	4	
140-2-13	1/2" x 200'	1,170 lb.	Hand/.020"	\$33.75	\$32.15	7.0 lbs.
140-2-23	3/4" x 200'	1,760 lb.	Hand/.020"	48.20	46.30	11.5 lbs.



SEALLESS COMBINATION STEEL STRAPPING TOOL

Creates sealless seam for strapping. Tensions, cuts, and seals. No seals needed. Top half die cuts over bottom half of strapping to create seam. Durable, adjustable tool designed for regular duty applications. Use with 1/2" and 3/4" strapping (top left).

SEALLESS COMBINATION STEEL STRAPPING TOOL

Item Number	Description	Price Each		Approx. Lbs. Each
		1	2	
140-2-350	Sealless Tool	\$1325.15	CALL!	8.0 lbs.

SHIPPING RATES

SG – Standard ground shipping is needed for packages with a cubic size of less than 5,184 cubic inches (See below for cubic size calculation).

DW – Dimensional weight shipping is needed for packages with a cubic size of 5,184 cubic inches or greater. Calculate cubic size by measuring package length, width, and height in inches, rounding each to the nearest whole inch. Then multiply package length by width by height to determine cubic size.

Truck – Truck only shipping is needed for packages of less than 150 lbs. with a combined length and girth over 165".



POLYPROPYLENE STRAPPING AND SEALS

Less expensive and easier to use than steel strapping for bundling items, sealing oversized cartons, and securing palletized loads. Super-strong polypropylene resists weather and chemicals. Choose from open or closed seals.

BLACK POLYPROPYLENE STRAPPING

Item Number	Size W x L	Tensile Strength	Grade/ Thickness	Core Size ID/Face*	Price per Carton			Qty. per Ctn.	Approx. Lbs. per Ctn.
					1	2	4		
140-1-05	1/2" x 4,500'	300 lb.	Hand/.015"	16"/3"	\$56.40	\$53.50	\$50.55	2	24.0 lbs.
140-1-07	1/2" x 9,000'	300 lb.	Hand/.015"	16"/6"	56.40	53.50	50.55	1	24.0 lbs.
140-1-10	1/2" x 3,600'	600 lb.	Hand/.031"	16"/3"	72.00	68.50	65.75	2	32.0 lbs.
140-1-15	1/2" x 7,200'	600 lb.	Hand/.031"	16"/6"	72.00	68.50	65.75	1	32.0 lbs.

*Inside diameter/face width

WHITE POLYPROPYLENE STRAPPING – 8" x 8" CORE SIZE*

Item Number	Size W x L	Tensile Strength	Grade/ Thickness	Price per Coil			Approx. Lbs. per Coil
				1	4	12	
140-1-225	1/4" x 18,000'	200 lb.	Machine/.024"	\$92.75	\$90.15	\$87.70	29.0 lbs.
140-1-226	3/8" x 12,900'	300 lb.	Machine/.022"	81.20	77.35	73.55	30.0 lbs.
140-1-227	1/2" x 9,900'	325 lb.	Machine/.024"	74.80	71.10	67.55	28.0 lbs.
140-1-228	1/2" x 7,200'	500 lb.	Machine/.028"	83.75	79.95	74.75	28.0 lbs.

*Inside diameter x face width of core

WHITE POLYPROPYLENE STRAPPING – 9" x 8" CORE SIZE*

Item Number	Size W x L	Tensile Strength	Grade/ Thickness	Price per Coil			Approx. Lbs. per Coil
				1	4	12	
140-1-250	3/8" x 12,900'	300 lb.	Machine/.022"	\$81.20	\$77.35	\$73.55	29.0 lbs.
140-1-251	1/2" x 9,900'	325 lb.	Machine/.024"	74.80	71.10	67.55	28.0 lbs.
140-1-252	1/2" x 7,200'	500 lb.	Machine/.028"	83.75	79.95	74.75	28.0 lbs.

*Inside diameter x face width of core

POLYPROPYLENE STRAPPING SEALS

Item Number	Size	Style	Price per Carton			Seals per Ctn.	Approx. Lbs. per Ctn.
			1	3	5		
140-1-201	1/2"	Open	\$84.85	\$79.95	\$74.15	2,500	28.0 lbs.
140-1-202	1/2"	Closed	33.60	30.95	28.50	1,000	9.0 lbs.



STEEL STRAPPING PUSH SEALS AND SEALING TOOLS

Push seals work well with strapping when used on rounded surfaces. Single notch sealer creates one notch and crimps seals closed.

STEEL STRAPPING PUSH SEALS

Item Number	Size	Style	Price per Carton			Seals per Ctn.	Approx. Lbs. per Ctn.
			1	2	5		
140-3-110	1/2"	Push	\$26.35	\$19.80	\$18.85	1,000	8.0 lbs.
140-3-111	5/8"	Push	30.35	22.50	21.35	1,000	10.0 lbs.
140-3-112	3/4"	Push	32.90	25.10	23.80	1,000	12.0 lbs.

STEEL STRAPPING SEALING TOOLS

Item Number	Description	Price Each		Approx. Lbs. Each
		1	2	
140-3-101	1/2" Single Notch Sealer	\$182.50	\$171.00	3.0 lbs.
140-3-102	5/8" Single Notch Sealer	182.50	171.00	2.5 lbs.
140-3-103	3/4" Single Notch Sealer	182.50	171.00	3.0 lbs.



POLYPROPYLENE STRAPPING CART AND TOOLS

Dispenser cart (Item Number 140-1-300) rolls smoothly on rubber wheels and features an adjustable brake arm to prevent unwinding and overrun. Equipment tray holds tools and seals. Heavy-duty, all-steel cart handles strapping with 8" or 16" cores. Item Number 140-1-320 is a manual sealer with a triple-jaw crimper to pinch steel seals and form super-strong, no-slip seals. Item 140-1-325 is a heavy-duty manual sealer with long handle for ease of use. Tensioner with cutter has a non-winding drum ratchet to safely tighten strapping up to 3/4" wide, then cut excess (Item Number 140-1-330). Heavy-duty tensioner (Item Number 140-1-335) is ideal for use with strapping up to 800-lb. tensile strength.

POLYPROPYLENE STRAPPING CART AND TOOLS

Item Number	Description	Price Each			Approx. Lbs. Each	Ship Rate
		1	3	5		
140-1-300	Dispenser Cart	\$288.80	\$274.45	\$266.05	49.0 lbs.	DW
140-1-320	1/2" Hand Sealer	56.85	55.30	48.10	4.0 lbs.	SG
140-1-325	1/2" Hvy. Duty Long Handle Sealer	195.65	188.65	179.30	4.0 lbs.	SG
140-1-330	3/4" Tensioner w/Cutter	82.85	79.95	77.05	3.0 lbs.	SG
140-1-335	3/4" Hvy. Duty Tensioner w/Cutter	177.75	163.00	154.95	4.0 lbs.	SG

SG = Standard Ground DW = Dimensional Weight



POLYPROPYLENE DELUXE STRAPPING SYSTEM

All-in-one system includes portable dispenser, tensioner with cutter, sealer, 3,600' of 1/2" heavy-duty strapping, and 500 open seals needed to strap loads. Edge protectors available for additional pallet support (p. 130).

POLYPROPYLENE DELUXE STRAPPING SYSTEM

Item Number	Description	Tensile Strength	Price Each		Approx. Lbs. Each	Ship Rate
			1	2		
140-1-400	1/2" Strapping System	500 lb.	\$709.60	\$674.15	78.0 lbs.	DW

DW = Dimensional Weight

SHIPPING RATES

SG – Standard ground shipping is needed for packages with a cubic size of less than 5,184 cubic inches (See below for cubic size calculation).

DW – Dimensional weight shipping is needed for packages with a cubic size of 5,184 cubic inches or greater. Calculate cubic size by measuring package length, width, and height in inches, rounding each to the nearest whole inch. Then multiply package length by width by height to determine cubic size.

Truck – Truck only shipping is needed for packages of less than 150 lbs. with a combined length and girth over 165".



POLYPROPYLENE STRAPPING KIT

All-in-one kit includes 1/2" polypropylene strapping, steel buckles, and hand pull tensioner/cutting tool. Extra-strong strapping is perfect for sealing cartons and securing light- to medium-sized loads. Strapping kits with plastic buckles that comply with postal regulations also available (below).

POLYPROPYLENE STRAPPING KIT

Item Number	Size W x L	Tensile Strength	Thickness	Buckles per Kit	Price per Kit				Approx. Lbs. per Kit
					1	2	5	8	
140-16	1/2" x 1,200'	300 lb.	.015	100	\$38.60	\$37.30	\$35.90	\$34.40	5.0 lbs.
140-30	1/2" x 3,000'	300 lb.	.015	300	51.95	44.35	42.25	40.15	10.5 lbs.
140-90	1/2" x 9,000'	400 lb.	.023	400	106.75	100.95	97.30	93.35	35.5 lbs.

POLYPROPYLENE STRAPPING STEEL BUCKLES

Item Number	Price per Carton	Qty. per Ctn.	Approx. Lbs. per Ctn.
140-200	\$35.70	1,000	14.0 lbs.



POSTAL POLYPROPYLENE STRAPPING KIT WITH PLASTIC BUCKLES

Complete, self-contained strapping kit complies with postal regulations. Light, portable kits include coil of 1/2" strapping with 300-lb. tensile strength, white plastic buckles, and hand pull tensioner/cutting tool.

POSTAL POLYPROPYLENE STRAPPING KIT WITH PLASTIC BUCKLES - WHITE

Item Number	Size W x L	Buckles per Kit	Price per Kit				Approx. Lbs. per Kit
			1	2	5	8	
140-30W	1/2" x 3,000'	500	\$52.75	\$44.35	\$42.00	\$40.00	11.5 lbs.



PORTABLE POLYPROPYLENE STRAPPING KIT

Fits in your pocket! Includes 17' of 300-lb. tensile strength strapping with sure-lock buckle. 10 kits per package.

PORTABLE POLYPROPYLENE STRAPPING KIT - WHITE

Item Number	Size W x L	Price per Package				Qty. per Pkg.	Approx. Lbs. per Pkg.
		1	3	5	10		
140-01W	1/2" x 17'	\$16.25	\$13.75	\$11.10	\$8.60	10	1.0 lb.



DYMETEC® NYLON TIE KIT, TIES, AND TENSIONER

Self-dispensing kit contains 100' of heavy-duty, UV-resistant 1/2" wide nylon strapping and 25 self-locking heads. Recommended for tying and bundling pallets, wires, cables, and HVAC. Can be tightened manually or with tensioner (sold separately). Tie straps with fixed self-locking heads also available. Separate 200' roll and heads can be purchased.

DYMETEC NYLON TIE KIT

Item Number	Size W x L	Tensile Strength	Thickness	Buckles per Kit	Price per Kit			Approx. Lbs. per Kit
					1	2	4	
140-6-10B	1/2" x 100'	400 lb.	.036	25	\$21.35	\$20.30	\$19.35	2.0 lbs.

DYMETEC SELF-LOCKING NYLON TIES

Item Number	Size W x L	Tensile Strength	Thickness	Price per Bag			Qty. per Bag	Approx. Lbs. per Bag
				1	2	4		
140-6-03B	1/2" x 10'	400 lb.	.036	\$14.50	\$13.85	\$13.30	10	1.0 lb.

DYMETEC WEATHERABLE SELF-LOCKING ACETAL TIES

Item Number	Size W x L	Tensile Strength	Thickness	Price per Bag			Qty. per Bag	Approx. Lbs. per Bag
				1	2	4		
140-6-21B	1/2" x 12'	400 lb.	.050	\$52.45	\$49.85	\$47.35	50	1.5 lbs.
140-6-25B	1/2" x 6'	400 lb.	.050	23.20	22.00	20.95	10	1.0 lb.
140-6-27B	1/2" x 20'	400 lb.	.050	36.00	34.20	32.50	10	3.0 lbs.

DYMETEC BLACK NYLON TIE CABLE STRAP

Item Number	Size W x L	Price Per Roll			Approx. Lbs. Per Roll
		1	2	4	
140-6-12B	1/2" x 200'	\$14.20	\$13.60	\$12.85	2.5 lbs.

DYMETEC HEADS FOR NYLON TIE CABLE STRAP

Item Number	Price per Bag			Qty. per Bag	Approx. Lbs. Per Bag
	1	2	4		
140-6-13	\$12.10	\$11.40	\$10.90	25	0.5 lbs.

DYMETEC NYLON TIE TENSIONER TOOL

Item Number	Price Each		Approx. Lbs. Each
	1	4	
140-6-15	\$87.00	\$81.05	1.0 lb.

