

BAG DESI PAK 16U T2 SEWN 43/4X10 150/D

Page 1

 Substance key: SC0000107388
 Revision Date: 12/06/2023

 Version: 5 - 8 / USA
 Date of printing: 09/13/2024

SECTION 1. IDENTIFICATION

Identification of the

company:

Clariant Corporation

500 East Morehead Street Charlotte, NC, 28202

Telephone No.: +1 704 331 7000

Information of the substance/preparation:

Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com

Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name:

BAG DESI PAK 16U T2 SEWN 4%X10 150/D

Material number:

248786

Chemical family:

Desiccant

Primary product use:

Desiccant

Restrictions on use:

There are no uses advised against.

Chemical family:

Bentonit

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

This product is considered an "Article" by the US Department of Labor, Occupational Safety & Health Administration (OSHA) under OSHA 29 CFR 1910.1200(c) and is exempt from the requirements of a Safety Data Sheet (SDS) found in the Hazard Communication Standard, 29 CFR 1910.1200(b)(v).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Substance

Chemical nature

: Desiccant

Components

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).



BAG DESI PAK 16U T2 SEWN 43/4X10 150/D

Page 2

Substance key: SC0000107388	Revision Date: 12/06/2023
Version : 5 - 8 / USA	Date of printing :09/13/2024

General advice No known delayed effects. Consult a physician for all

exposures except for minor instances.

If inhaled Move the victim to fresh air.

> Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention.

Never give anything by mouth to an unconscious person.

In case of skin contact Wash thoroughly with soap and water for 15 minutes. If skin

irritation occurs, seek medical attention.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Get medical attention immediately if irritation develops and

persists.

If swallowed Normally not needed. If whole canisters or sachets are

ingested, call a physician or your local Poison Control Center

(1-800-222-1222 in the United States).

Most important symptoms

and effects, both acute and

delayed

The possible symptoms known are those derived from the

labelling (see section 2).

No additional symptoms are known.

Notes to physician Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : The product itself does not burn.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray jet Dry powder Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

No restrictions

Specific hazards during

firefighting

The product is not flammable. Does not sustain combustion.

No hazardous decomposition products are known.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Special sliding risk through leaking of spilled product in

connection with water.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Ensure adequate ventilation.

Evacuate personnel to safe areas.

Avoid dust formation.



BAG DESI PAK 16U T2 SEWN 4%X10 150/D

Page 3

 Substance key: SC0000107388
 Revision Date: 12/06/2023

 Version: 5 - 8 / USA
 Date of printing: 09/13/2024

Avoid contact with skin, eyes and clothing. Wear personal protective equipment.

Avoid breathing dust.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust)

(dust).

Special sliding risk through leaking of spilled product in

connection with water.

Wearing appropriate personal protective equipment, contain

spill and collect into a suitable container.

No special precautions required.

Refer to Section 8 for more information.

Environmental precautions

No special environmental precautions required.

Methods and materials for containment and cleaning up

Pick up and transfer to properly labelled containers.

If product is released from trucks in roads, place signposts

and remove the spill using vacuum cleaning systems.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

Avoid dust formation.

Provide sufficient air exchange and/or exhaust in work rooms. In case of insufficient ventilation, wear suitable respiratory

equipment.

For personal protection see section 8. Handle and open container with care.

If you require advice on safe handling techniques or specific uses, please contact your supplier or check the further

information referred to in section 16.

Conditions for safe storage

Minimize airborne dust generation and prevent wind dispersal during loading and unloading. Keep containers closed and store packaged products so as to prevent accidental bursting.

Further information on storage conditions

Store in a dry place.

Materials to avoid

No conditions to be specially mentioned.

Further information on

Stable under recommended storage conditions.

storage stability

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures

A system of local and/or general exhaust is recommended where employee exposures are at or above Occupational

Exposure Limits (OEL).



BAG DESI PAK 16U T2 SEWN 43/X10 150/D

Page 4

 Substance key: SC0000107388
 Revision Date: 12/06/2023

 Version: 5 - 8 / USA
 Date of printing: 09/13/2024

Personal protective equipment

Respiratory protection : Wear NIOSH approved particulate filtering respirator rated N,

R, or P95 or 100 or equivalent in the absence of proper environmental control. Type of respirator depends on level of

exposure.

Hand protection

Remarks : Butyl Rubber, PVC Or Neoprene.

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear protective clothing, including long sleeves and gloves,

to prevent skin contact.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : lumpy, granular, powder

Colour : bright to earthy

Odour : odourless

Odour Threshold : not determined

pH : 6 - 11 (68 °F / 20 °C)

Method: aqueous suspension

For detail information please refer to our physical & chemical

data sheet.

Melting point/range : > 842 °F / 450 °C

Method: EU A.1

Boiling point/boiling range : not applicable (solid with a melting point > 450 °C)

Flash point : Not applicable

Evaporation rate : not applicable (solid with a melting point > 450 °C)

Flammability (solid, gas) : does not ignite, Not expected to form explosive dust-air

mixtures.

Method: EU A.10

Self-ignition : Method: 92/69/EEC, A.6.

no relative self-ignition temperature below 400 °C



BAG DESI PAK 16U T2 SEWN 43/4X10 150/D

Page 5

Substance key: SC0000107388 Revision Date: 12/06/2023 Version: 5 - 8 / USA Date of printing:09/13/2024

Upper explosion limit / upper : Not applicable

flammability limit

flammability limit

Lower explosion limit / Lower : non explosive (void of any chemical structures commonly

associated with explosive properties)

: not applicable (solid with a melting point > 450 °C) Vapour pressure

Relative vapour density : Not applicable

: 2.6 g/cm3 Density

: 500 - 1,100 kg/m3For detail information please refer to our Bulk density

physical & chemical data sheet.

Solubility(ies)

Water solubility : < 0.9 mg/l (68 °F / 20 °C)

Method: Tested according to Directive 92/69/EEC.

Partition coefficient: n-

octanol/water

: Not applicable inorganic

Auto-ignition temperature : not determined

Decomposition temperature No decomposition if used as directed.

Viscosity

Viscosity, dynamic not applicable (solid with a melting point > 450 °C)

Not applicable Viscosity, kinematic

: no oxidizing properties (Based on the chemical structure, the Oxidizing properties

> substance does not contain a surplus of oxygen or any structural groups known to be correlated with a tendency to

react exothermally with combustible material)

Metal corrosion rate : Not applicable

: no data available Particle size

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability The product is chemically stable.

Possibility of hazardous

reactions

None known.

Conditions to avoid Forms slippery/greasy layers with water.



BAG DESI PAK 16U T2 SEWN 43/X10 150/D

Page 6

 Substance key: SC0000107388
 Revision Date: 12/06/2023

 Version: 5 - 8 / USA
 Date of printing: 09/13/2024

Incompatible materials

: inert, not reactive

Avoid storing together with materials that may be affected by

dust.

Hazardous decomposition

products

: Not relevant

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity

: LD50 (Rat, male and female): > 5,000 mg/kg

Method: US EPA Test Guideline OPP 81-1

Remarks: By analogy with a product of similar composition

Acute inhalation toxicity

Remarks: no data available

Acute dermal toxicity

: Remarks: no data available

Skin corrosion/irritation

Product:

Species

Rabbit

Method

OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species

Rabbit

Result

No eye irritation

Method

OECD Test Guideline 405

Respiratory or skin sensitisation

Product:

Remarks

: no data available

Germ cell mutagenicity

Product:

Genotoxicity in vitro

Test Type: In vitro gene mutation study in bacteria

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro gene mutation study in mammalian cells

Method: OECD Test Guideline 476

Result: negative



BAG DESI PAK 16U T2 SEWN 4%X10 150/D

Page 7

Revision Date: 12/06/2023 Substance key: SC0000107388 Date of printing:09/13/2024 Version: 5 - 8 / USA

Germ cell mutagenicity - : In vitro tests did not show mutagenic effects

Assessment

Carcinogenicity

Product:

Carcinogenicity -Assessment

: No information available.

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

IARC

No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Product:

Reproductive toxicity -

: No information available.

Assessment

STOT - single exposure

Product:

Assessment

: The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment

: The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Aspiration toxicity

Product:

No aspiration toxicity classification

Experience with human exposure

Product:

General Information

: The possible symptoms known are those derived from the

labelling (see section 2).

Further information

Product:

Remarks : There is no data available for this product.



BAG DESI PAK 16U T2 SEWN 43/4X10 150/D

Page 8

Substance key: SC0000107388 Revision Date: 12/06/2023 Version: 5 - 8 / USA Date of printing:09/13/2024

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): 16 g/l

Exposure time: 96 h

LC50 (Marine water fish): 2.8 - 3.2 g/l

Exposure time: 24 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

EC50 (Metacarcinus magister): 81.6 mg/l

Exposure time: 96 h

EC50 (Pandalus danae): 24.8 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

: EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic

toxicity)

: Remarks: no data available

aquatic invertebrates (Chronic toxicity)

Toxicity to daphnia and other : Remarks: no data available

Plant toxicity

: 84.4 mg/kg

Species: Phaseolus vulgaris

Remarks: No effect on the growth was observed.

84.4 mg/kg

Species: Zea mays

Remarks: No effect on the growth was observed.

Persistence and degradability

Product:

Biodegradability Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Not relevant for inorganic substances



BAG DESI PAK 16U T2 SEWN 4%X10 150/D

Page 9

 Substance key: SC0000107388
 Revision Date: 12/06/2023

 Version: 5 - 8 / USA
 Date of printing: 09/13/2024

Mobility in soil

no data available

Other adverse effects

Product:

Additional ecological

information

: According to experience and to the information currently available, the product has no harmful effects on the

environment if used correctly as intended.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource

Conservation and Recovery

Authorization Act

Waste Code

: This product, if discarded as sold, is not a Federal RCRA

hazardous waste.

: NONE

Waste from residues : This product, if discarded as sold, is not a Federal RCRA

hazardous waste. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal

regulations.

Contaminated packaging : No specific requirements.

SECTION 14. TRANSPORT INFORMATION

DOT not restricted

IATA not restricted

IMDG not restricted

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III. Section 313.



BAG DESI PAK 16U T2 SEWN 43/4X10 150/D

Page 10

Substance key: SC0000107388	Revision Date: 12/06/2023
Version: 5 - 8 / USA	Date of printing :09/13/2024

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act


The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -



BAG DESI PAK 16U T2 SEWN 4%X10 150/D

Page 11

 Substance key: SC0000107388
 Revision Date: 12/06/2023

 Version: 5 - 8 / USA
 Date of printing: 09/13/2024

Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System: GLP - Good Laboratory Practice: HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration. Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act: SDS - Safety Data Sheet: TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The indicator-card (HI-Card) that may be included in the scope of this delivery is a packaging supplement to check the product quality. Should the Safety Data Sheet of the HI-card be required, please contact the address mentioned in section 1 of this SDS.

Revision Date : 12/06/2023

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.



BAG DESI PAK 16U T2 SEWN 43/4X10 150/D

Page 12

Substance key: SC0000107388	Revision Date: 12/06/2023
Version: 5 - 8 / USA	Date of printing :09/13/2024

US / EN