

Premier Pure Hand Sanitizer 2oz., 32oz.

# Section 1

## **Product Description**

Product Name: Premier Pure Hand Sanitizer 2oz., 32oz.

Recommended Uses: Hand Sanitizer

Synonyms: Alcohol Hand Sanitizer

Distributor: RPP Products, Inc. Address: 2756 S. Riverside Ave. CA. 92316

Phone: (800) 657 4811

Chemical Information Emergency: Website: https://rppproducts.com/

Chemtrec 1.800.424.9300

## Section 2

# **Hazard Information**

OSHA Regulatory Status-This chemical is considered hazardous by the 2012 OSHA Hazard Communication, 29 CFR §1910.1200.

Flammable liquids Category 2

Eye Irritation Category 2A

Specific target organ toxicity--Single Exposure Category 3

## **Danger**

# **Hazard Statements**





Causes serious eye irritation.

Highly Flammable liquid and vapor.

May cause drowsiness and dizziness.

**Appearance**—Aqueous solution **Physical state**—Liquid

Odor - Alcohol Odor

### **Precautionary Statements—Prevention**

Keep away from heat/sparks/open flames/hot surfaces----No Smoking.

Wash hands thoroughly after handling.

Avoid breathing vapors.

Use only non-sparking tools.

Use only static discharge.

Use only outdoors or in well ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

### **Precautionary Statements—Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin (hair) with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing,

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction.

### **Precautionary Statements—Storage**

Stored in a well-ventilated place. Keep Cool.

### **Precautionary Statements—Disposal**

Dispose of contents/container to an approved waste disposal plant.

## Hazards not otherwise classified (HNOC)

Not Applicable

### **Other Information**

**Unknown Acute Toxicity** 

## **Section 3**

# **Composition/Information on Ingredients**

Chemical Name	CAS No.	Weight-%
Isopropyl Alcohol	67-63-0	72-80
Water	7732-18-5	19-27
Glycerin	56-81-5	1-5%

N-Alkyldimethylbenzyl ammonium chloride Diecyl dimethyl ammonium chloride 8001-54-5 7373-51-5

<1%

## **Section 4**

## **First Aid Measures**

First Aid Measures

Eye Contact Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after first 5 minutes, then continue rinsing eye(s). If eye irritation

persists: Get medical advice/attention.

Skin Contact For accidental exposure to large quantities, wash off immediately with soap and plenty of water

while removing all contaminated clothes and shoes. Wash contaminated clothing before reused.

Get medical attention if irritation develops.

Inhalation Remove to fresh air. If signs/symptoms continue, get medical attention.

**Ingestion** Do NOT induce vomiting. Ingestion of large amounts can cause drowsiness, unconsciousness or

headaches. Drink plenty of water. Never give anything by mouth to an unconscious person. Call

physician.

Most important symptoms and effects, both acute and delayed

**Symptoms** See Section 11 for symptominformation.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

## **Section 5**

## **Fire-Fighting Measures**

#### **Suitable Extinguishing Media**

Dry Chemical, Water spray (fog), Carbon dioxide (CO<sub>2</sub>), Foam.

### **Unsuitable Extinguishing Media**

No Information available.

### Specific hazards arising from the chemical

Flammable. May explode when heated. Vapors may travel to source of ignition and flash back. **Hazardous combustion products**Carbon Monoxide. Carbon Dioxide (CO<sub>2</sub>).

**Explosion Data** 

Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective

## Section 6

### **Accidental Release Measures**

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protection recommended in Section 8. Ensure adequate ventilation, especially in

confined areas.

For emergency responders Isolate area. Keep unnecessary personnel away.

**Environment Precautions** 

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional

ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container

for disposal according to local/national regulations (See Section 13).

Methods for cleaning up Use clean non-sparking tools to collect absorbed material. May be ignited by friction, heat, sparks or

flames. Collect spillage. Soak up with inert absorbent material,. Sweep up and shovel into suitable

containers for disposal. Following product recovery, flush area with water.

## **Section 7**

# **Handling and Storage**

### **Precautions for Safe Handling**

Advice on Safe Handling Keep away from heat sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and

static electricity). Take precautionarymeasures against static discharges. Do not eat, drink or smoke when using this product. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly

after handling. Handle in accordance with good industrial hygiene and safety practice.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep Containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing. Keep away

from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static

electricity). Store between 40 to 100°F.

Incompatible materials Heat, sparks, open flame, other ignition sources. Reacts violently with strong oxidants such as nitric

acid and silver nitrate causing fire and explosion hazard. Reacts slowly with calcium hypochlorite and

ammonia causing fire and explosion hazard.

# Section 8

## **Protection Information**

## **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSHIDLH
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 ppm (vacated)STEL: 500 ppm (vacated) STEL: 1225 mg/m³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>
Glycerin 56-81-5	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>	

### **Appropriate Engineering Controls**

Engineering Controls Showers, eyewash stations, ventilation system.

### Individual Protection Measures, such as personal protective equipment

Eye/Face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective Neoprene™gloves. Rubber gloves. Normal work clothing (long sleeved shirt and long

pants is recommended). Apron is recommended.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory

protectionshould be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local

regulations.

General Hygiene Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated Considerations clothing and shoes before reuse. Do not Eat, Drink or Smoke when using this product.

## Section 9

# **Physical and Chemical Properties**

### Information on basic physical and chemical properties

Formula: See Section 3 Physical State: Liquid

Odor: Alcohol Smell Appearance: Aqueous solution

Odor Threshold: No Information Available Color: Clear

<u>Property</u> Values <u>Remarks-</u> <u>Method</u>

pH 5.0-7.0 ±1@ 21°C

Melting Point/Freezing Point No Information

Boiling Point/ Boiling Range 180°F

Flash Point 18 °C / 65°F

Evaporation rate No information available

Flammability (solid, gas) Flammable

Flammability Limit in Air

Upper flammability limit: 12% Lower flammability limit: 2%

Vapor pressure: 30mm Hg @ 20 °C
Vapor density: No information available

Specific Gravity 0.89 Water solubility Soluble

Partition coefficient No information available Autoignition temperature  $425^{\circ}C$  (797 $^{\circ}F$ )

Decomposition temperature

Kinematic viscosity

No information available

Dynamic viscosity

No information available

Explosive properties

No information available

Oxidizing properties

No information available

available

# **Section 10**

# **Stability and Reactivity Data**

**Reactivity** No data available.

Chemical StabilityStable under recommended storage conditions.Possibility of Hazardous ReactionsVapors may form explosive mixture with air.

Conditions to avoid Heat, flames and sparks, extreme temperature conditions

**Incompatible materials** Strong oxidizing agents, strong acids, heat, sparks, open flame, other ignition sources.

**Hazardous Decomposition Products**Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Nitrogen.

# Section 11

# **Toxicity Data**

### Information on likely routes of exposure

**Product Information** 

Inhalation Inhalation of vapors in high concentration may cause drowsiness, or dizziness.

Eye Contact Irritating to eyes.

Skin Contact No irritant under normal use. Ingestion May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water, 7732-18-5	> 90 mL/kg (Rat)	-	
Isopropyl alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rabbit)	= 16000 ppm (Rat) 8 h
Glycerin 56-81-5	12600 mg/kg	> 10 g/kg (Rabbit)	> 570 mg/m³ (Rat) 1 h

## Information on toxicological effects

Symptoms No Information Available

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No Information Available
Germ cell mutagenicity No Information Available

Carcinogenicity IARC: Group 3 (Not classifiable as to its carcinogenicity to humans).

Reproductive toxicity
STOT single exposure
No Information Available
STOT repeated exposure
No Information Available
Aspiration hazard
No Information Available

# **Section 12**

# **Ecological Data**

## **Ecotoxicity**

Chemical Name	Algae/Aquatic Plants	Fish	Crustacea
Isopropyl alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	13299: 48 h Daphnia magna mg/L EC50

## Persistence and degradability

No Information Available.

### Bioaccumulation

Chemical Name	Partition Coefficient
Isopropylalcohol	0.05

## Mobility

No information available.

## Other adverse effects

No information available

# Section 13

# **Disposal Information**

### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

egulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol	Toxic
67-63-0	lgnitable

# Section 14

# **Transport Information**

### DOT

UN/ID No. 1219

Proper shipping name Isopropanol Flammable liquids

Hazard Class 3
Packing Group II

Limited Quantities for packages under 1 Liter

# **Section 15**

# **Regulatory Information**

### **International Inventories**

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies

Legend:

TSCA—United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL — Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS—European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

### **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. Note: Isopropyl alcohol only needs to be reported if it is being manufactured by the strong acid process. Facilities that process or otherwise use isopropyl alcohol are NOT covered and should NOT file a report.

## SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes
Sudden Release of pressure hazard No
Reactive Hazard No

### **CWA (Clean Water Act)**

This product does not contain any substance regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substance regulated as a hazardous substance under the Comprehensive Environment Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local regional or state level pertaining to releases of this material.

## **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol 67-63-0	Х	Х	Х

## **U.S. EPA Label Information**

**EPA Pesticide Registration Number** 

**Not Applicable** 

# **Section 16**

# **Additional Information**

<u>NFPA</u>	<b>Health Hazards</b>	Flammability	Instability	<b>Physical and Chemical Properties</b>
	1	3	0	None
<b>HMIS</b>	<b>Health Hazards</b>	Flammability	<b>Physical Hazards</b>	Personal protection
	2	3	0	B (safety glasses, gloves)

Prepared by:

**Technical Department** 

**Revision Date** 

March 9, 2020

Version

on 2

Revision Note

**Annual Review** 

### Disclaimer

The foregoing recommendations are accurate to the best of our knowledge and are made without guarantee as conditions of use are beyond our control. The user shouls experimentally check before wide commerical usage.

**END OF SDS SHEET**