

Premier Pure Hand Sanitizer 2oz., 32oz.

Section 1

Product Description

Product Name: Premier Pure Hand Sanitizer 2oz., 32oz.

Recommended Uses: Hand Sanitizer

Synonyms: Alcohol Hand Sanitizer

Distributor: RPP Products, Inc. Address: 2756 S. Riverside Ave. CA. 92316

Phone: (800) 657 4811

Chemical Information Emergency: Website: https://rppproducts.com/

Chemtrec 1.800.424.9300

Section 2

Hazard Information

OSHA Regulatory Status-This chemical is considered hazardous by the 2012 OSHA Hazard Communication, 29 CFR §1910.1200.

Flammable liquids Category 2

Eye Irritation Category 2A

Specific target organ toxicity--Single Exposure Category 3

Danger

Ay .



Hazard Statements

Causes serious eye irritation.

Highly Flammable liquid and vapor.

May cause drowsiness and dizziness.

Appearance—Aqueous solution

Physical state—Liquid
Odor— Alcohol Odor

Precautionary Statements—Prevention

Keep away from heat/sparks/open flames/hot surfaces----No Smoking.

Wash hands thoroughly after handling.

Avoid breathing vapors.

Use only non-sparking tools.

Use only static discharge.

Use only outdoors or in well ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements—Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin (hair) with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing,

In case of fire: Use CO₂, dry chemical, or foam for extinction.

Precautionary Statements—Storage

Stored in a well-ventilated place. Keep Cool.

Precautionary Statements—Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

Not Applicable

Other Information

Unknown Acute Toxicity

Section 3

Composition/Information on Ingredients

| Chemical Name | CAS No. | Weight-% |
|-------------------|-----------|----------|
| Isopropyl Alcohol | 67-63-0 | 72-80 |
| Water | 7732-18-5 | 19-27 |
| Glycerin | 56-81-5 | 1-5% |

N-Alkyldimethylbenzyl ammonium chloride Diecyl dimethyl ammonium chloride 8001-54-5 7373-51-5

<1%

Section 4

First Aid Measures

First Aid Measures

Eye Contact Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after first 5 minutes, then continue rinsing eye(s). If eye irritation

persists: Get medical advice/attention.

Skin Contact For accidental exposure to large quantities, wash off immediately with soap and plenty of water

while removing all contaminated clothes and shoes. Wash contaminated clothing before reused.

Get medical attention if irritation develops.

Inhalation Remove to fresh air. If signs/symptoms continue, get medical attention.

Ingestion Do NOT induce vomiting. Ingestion of large amounts can cause drowsiness, unconsciousness or

headaches. Drink plenty of water. Never give anything by mouth to an unconscious person. Call

physician.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11 for symptom information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5

Fire-Fighting Measures

Suitable Extinguishing Media

Dry Chemical, Water spray (fog), Carbon dioxide (CO₂), Foam.

Unsuitable Extinguishing Media

No Information available.

Specific hazards arising from the chemical

Flammable. May explode when heated. Vapors may travel to source of ignition and flash back. **Hazardous combustion products**Carbon Monoxide. Carbon Dioxide (CO₂).

Explosion Data

Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective

Section 6

Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protection recommended in Section 8. Ensure adequate ventilation, especially in

confined areas.

For emergency responders Isolate area. Keep unnecessary personnel away.

Environment Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional

ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container

for disposal according to local/national regulations (See Section 13).

Methods for cleaning up Use clean non-sparking tools to collect absorbed material. May be ignited by friction, heat, sparks or

flames. Collect spillage. Soak up with inert absorbent material,. Sweep up and shovel into suitable

containers for disposal. Following product recovery, flush area with water.

Section 7

Handling and Storage

Precautions for Safe Handling

Advice on Safe Handling Keep away from heat sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and

static electricity). Take precautionarymeasures against static discharges. Do not eat, drink or smoke when using this product. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly

after handling. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep Containers tightly closed inadry, cool and well-ventilated place. Keep from freezing. Keep away

 $from heat, sparks, flame \, and \, other \, sources \, of \, ignition (i.e., pilot \, lights, electric \, motors \, and \, static \, a$

electricity). Store between 40 to 100°F.

Incompatible materials Heat, sparks, open flame, other ignition sources. Reacts violently with strong oxidants such as nitric

acid and silver nitrate causing fire and explosion hazard. Reacts slowly with calcium hypochlorite and

ammonia causing fire and explosion hazard.

Section 8

Protection Information

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSHIDLH |
|------------------------------|-------------------------------|--|---|
| Isopropyl alcohol 67-63-0 | STEL: 400 ppm TWA: 200 ppm | TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 ppm (vacated)STEL: 500 ppm (vacated)STEL: 1225 mg/m³ | IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³ |
| Glycerin 56-81-5 | TWA: 10 mg/m ³ | TWA: 15 mg/m ³ | · |

Appropriate Engineering Controls

Engineering Controls Showers, eyewash stations, ventilation system.

Individual Protection Measures, such as personal protective equipment

Eye/Face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective Neoprene™gloves. Rubber gloves. Normal work clothing (long sleeved shirt and long

pants is recommended). Apron is recommended.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory

protectionshould be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local

regulations.

General Hygiene Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated Considerations clothing and shoes before reuse. Do not Eat, Drink or Smoke when using this product.

Section 9

Physical and Chemical Properties

Information on basic physical and chemical properties

Formula: See Section 3 Physical State: Liquid

Odor: Alcohol Smell Appearance: Aqueous solution

Odor Threshold: No Information Available Color: Clear

<u>Property</u> Values <u>Remarks-</u> <u>Method</u>

pH 5.0-7.0 ±1@ 21°C

Melting Point/Freezing Point No Information

Boiling Point/ Boiling Range 180°F Flash Point 18 °C / 65°F

Francisco Marie de 1911

Evaporation rate No information available

Flammability (solid, gas) Flammable

Flammability Limit in Air

Upper flammability limit: 12% Lower flammability limit: 2%

Vapor pressure: 30mm Hg @ 20 °C
Vapor density: No information available

Specific Gravity 0.89 Water solubility Soluble

Partition coefficient No information available Autoignition temperature $425^{\circ}C$ (797 $^{\circ}F$)

Decomposition temperature

Kinematic viscosity

No information available

Dynamic viscosity

No information available

Explosive properties

No information available

Oxidizing properties

No information available

available

Section 10

Stability and Reactivity Data

Reactivity No data available.

Chemical StabilityStable under recommended storage conditions.
Possibility of Hazardous Reactions
Vapors may form explosive mixture with air.

Conditions to avoid Heat, flames and sparks, extreme temperature conditions

Incompatible materials Strong oxidizing agents, strong acids, heat, sparks, open flame, other ignition sources.

Hazardous Decomposition ProductsCarbon monoxide. Carbon dioxide (CO₂). Nitrogen.

Section 11

Toxicity Data

Information on likely routes of exposure

Product Information

Inhalation Inhalation of vapors in high concentration may cause drowsiness, or dizziness.

Eye Contact Irritating to eyes.

Skin Contact No irritant under normal use. Ingestion May be harmful if swallowed.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------------|--------------------|------------------------|-----------------------|
| Water, 7732-18-5 | > 90 mL/kg (Rat) | | - |
| Isopropyl alcohol 67-63-0 | = 4396 mg/kg (Rat) | = 12800 mg/kg (Rabbit) | = 16000 ppm (Rat) 8 h |
| Glycerin 56-81-5 | 12600 mg/kg | > 10 g/kg (Rabbit) | > 570 mg/m³ (Rat) 1 h |

Information on toxicological effects

Symptoms No Information Available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No Information Available
Germ cell mutagenicity No Information Available

Carcinogenicity IARC: Group 3 (Not classifiable as to its carcinogenicity to humans).

Reproductive toxicity
STOT single exposure
No Information Available
STOT repeated exposure
No Information Available
Aspiration hazard
No Information Available

Section 12

Ecological Data

Ecotoxicity

| Chemical Name | Algae/Aquatic Plants | Fish | Crustacea |
|------------------------------|--|--|--|
| Isopropyl alcohol 67-63-0 | 1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50 | 9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50 | 13299: 48 h Daphnia magna mg/L EC50 |

Persistence and degradability

No Information Available.

Bioaccumulation

| Chemical Name | Partition Coefficient |
|------------------|-----------------------|
| Isopropylalcohol | 0.05 |

Mobility

No information available.

Other adverse effects

No information available

Section 13

Disposal Information

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

egulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

| Chemical Name | California Hazardous Waste Status |
|-------------------|-----------------------------------|
| Isopropyl alcohol | Toxic |
| 67-63-0 | lgnitable |

Section 14

Transport Information

DOT

UN/ID No. 1219

Proper shipping name Isopropanol Flammable liquids

Hazard Class 3 Packing Group II

Limited Quantities for packages under 1 Liter

Section 15

Regulatory Information

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies

Legend:

TSCA—United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL — Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS—European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. Note: Isopropyl alcohol only needs to be reported if it is being manufactured by the strong acid process. Facilities that process or otherwise use isopropyl alcohol are NOT covered and should NOT file a report.

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes
Sudden Release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substance regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substance regulated as a hazardous substance under the Comprehensive Environment Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local regional or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|------------------------------|------------|---------------|--------------|
| Isopropyl alcohol 67-63-0 | Х | Х | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number

Not Applicable

Section 16

Additional Information

| <u>NFPA</u> | Health Hazards | Flammability | Instability | Physical and Chemical Properties |
|-------------|-----------------------|--------------|-------------------------|---|
| | 1 | 3 | 0 | None |
| HMIS | Health Hazards | Flammability | Physical Hazards | Personal protection |
| | 2 | 3 | 0 | B (safety glasses, gloves) |

Prepared by:

Technical Department

Revision Date

March 9, 2020

Version

2

Revision Note

Annual Review

Disclaimer

The foregoing recommendations are accurate to the best of our knowledge and are made without guarantee as conditions of use are beyond our control. The user shouls experimentally check before wide commerical usage.

END OF SDS SHEET