

SAFETY DATA SHEET

File No.: 0001 **Date Revised:** 02/25/21

Clay Unit Paks and PillowPaks Revision No:

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Desiccare Clay Unit Paks and PillowPaks

CHEMICAL NAME: Montmorillonite Clay

USE OF SUBSTANCE: Desiccant

MANUFACTURER: Desiccare Inc.

3930 W. Windmill Lane, Suite 100,

Las Vegas, Nevada 89139

EMERGENCY PHONE: 1-909-444-8272 **CHEMTREC PHONE:** 1-800-262-8200

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE or MIXTURE:

The product is not classified as a hazard and does not require a hazard label in

accordance with GHS regulation and the national laws. No pictograms hazard symbols

are required

Calcium Montmorrillonite Clay is dried to approx. 2% moisture. As a dried product with moisture, it is not listed on the TSCA Inventory even though Silica Quartz is listed in the TSCA Inventory. Silica Quartz exist in Clay in miniscule quantities (<0.5%) and is naturally coated with an unremovable layer of clay minerals. It is excluded from TSCA since it is an

impurity "contained wiithin" the clay structure

Calcium Montmorrillonite Clay is listed as GRAS Material (Generally Recognized as Safe) in Title 21 of the Code of Federal Regulations, Part 182, Subpart B, Section 184.1155

Clay when packaged in substrate also is exempt as an "article" from the TSCA inventory

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS: 100% natural mineral, raw material, montmorillonite.

Naturally occurring Dried Calcium Montmorrillonite Clay w/2% or less moisture.

Calcium Montmorrillonite Clay is a UVCB Substance, sub-type 4

CAS 1318-93-0

PRESERVATIVES AND SOLVENTS: None OTHER GASES AND LIQUIDS: None

SECTION 4: FIRST AID MEASURES

EYES: Do not rub eyes. Flush with plenty of water or eye wash solution for 5 minutes.

While holding the eyelid open. Get medical attention if irritation persists.

SKIN: Wash with soap and water.

INGESTION: Normally not needed. Encourage fluid intake. Seek medical attention if symptons

levelop or persist.

INHALATION: Normally not needed. Remove to fresh air. If symptoms of irritation persist, seek

medical attention.

SECTION 5: FIRE-FIGHTING MEASURES

FLASHPOINT AND METHOD: Material is not flammable

EXTINGUISHING MEDIA: Use extinguishing agent applicable to surrounding fire.

FIRE FIGHTING PROCEDURES: As in any fire, wear self-contained breathing apparatus operated in pressure-demand

mode, (NIOSH approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

SMALL SPILL: No special precautions required.

LARGE SPILL: With shovel or scoop, place material in to appropriate container.

SECTION 7: HANDLING AND STORAGE

HANDLING: Use of proper hygiene practices in the workplace is recommended.

STORAGE: Store in a dry area.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines: Note, There is no health hazard associated with packaged desiccant. If bag is open handle to not generate dust Exposure limits to airborne contaminates is listed belowt.

Hazardous Components						
			EXPOSURE LIMITS			
		OSHA PEL		ACGIH TLV		
Chemical Name		ppm	mg/m³	ppm	mg/m³	
Clay	8 hrTWA	(1)	(1)	(1)	(1)	
Silica, quartz	8 hr TWA	(2)	(2)	(3)	(3)	

OSHA TABLE COMMENTS:

Comments

All inert or nuisance dusts, whether mineral, inorganic or organic, not listed specifically by substance name are covered by the Particulates Not Otherwise Regulated (PNOR) limit which is 5 mg/m 3 respirable fraction and 15 mg/m 3 for total dust. ACGIH exposure guuidelines of less than 3 mg/m 3 (respirable) and 10 mg/m 3 (inhalable) have been established for particles (insoluable/poorly soluable) not otherwise specified (PNOS).

If handling bulk Clay Products, the following safety equipment is recommended.:

RESPIRATORY PROTECTION: Use NIOSH/MSHA approved respirators for silica bearing dust.

EYE PROTECTION: Safety glasses should be worn.

SKIN PROTECTION: Gloves should be worn.

WORK HYGIENIC PRACTICES: Normal work and hygiene practices.

⁽¹⁾ Exposure limits not established

⁽²⁾ Total Dust = (15 mg/m³)@ 8 hr TWA

⁽³⁾ Respirable limit = (5 mg/m³) @8hr TWA

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

 PHYSICAL STATE:
 Solid

 SP GR (gm/cc)
 0.88

 ODOR:
 None

COLOR/SHAPE: Tan, grey, white particles

pH: 7
VOLATILE ORGANIC COMPOUNDS 0

VOLATILE LESS H20 & EXEMPT No Volatiles (only moisture)

VAPOR PRESSURE, VAPOR DENSITIY: Not Applicable

OXIDIZING PROPERTIES: None

SECTION 10: STABILITY AND REACTIVITY

STABILE: Yes HAZARDOUS POLYMERIZATION: No

CONDITIONS FOR STORAGE: Store in dry ambient environment. Store in original container. Keep tightly closed

and dry

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE ORAL TOXICITY:: LD50 > 5000 gm/kg (rat)

Calcium Montmorrillonite Clay is listed as GRAS Material (Generally Recognized as Safe in Title 21 of the Code of Federal Regulations, Part 182, Subpart B, Section 184.1155

ACUTE DERMAL TOXICITY: Not adsorbed through the skin

SKIN IRRITATION:Not an irritant (rabbit), Method: OECD 404 **EYE IRRITATION:**Not irritant (rabbit), OECD Method 405

RESPITATORY OR SKIN SENSITIZER: Not a skin sensitizer, Can dry out skin by handling large amounts of Clay Desiccant

without gloves

STOT: Single Exposure: Not Toxic in acute tests

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY:No known ecological hazards are associated with this product. **CHEMICAL FATE INFORMATION:**This material is of mineral origin. It is not biodegradable.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of according to local, state and federal regulations,

SECTION 14: TRANSPORT INFORMATION

DOT CLASSIFICATION:

Not classified

Not restricted

SECTION 15: REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

Calcium Montmorrillonite Clay is dried to approx. 2% moisture. As a dried product with

moisture, it is not listed on the TSCA Inventory even though Silica Quartz is listed in the TSCA Inventory. Silica Quartz exist in Clay in miniscule quantities and is naturally coated with an unremovable layer of clay minerals. It is excluded from TSCA since it is an impurity

"contained wiithin" the clay structure.

Clay when packaged in substrate also is exempt as an "article" from the TSCA inventory.

SECTION 16: OTHER INFORMATION

HMIS Rating: 1 Health, 0 Flammability, 0 Physical Hazard, A Personal Protection

Personal Protection should be determined based on workplace conditions

National Fire Protection Association (USA) 1 Health, 0 Flammability, 0 Reactivity

MANUFACTURER DISCLAIMER: The information presented herein is believed to be accurate but is not warranted. Recipients are advised

to confirm in advance that the information is current, applicable and suitable to their circumstances.